

Bostik Clear Adhesive

SAFETY DATA SHEET

1. IDENTIFICATI ON		
1.1. Product identifier		
Product name	Bostik Clear Adhesive	
Chemical family	Nitrile rubber solution	
1.2. Intended use of the product		
All-purpose clear adhesive f	or use in the home, office and school	
1.3. Name, address, and telephone of the responsible party		
Company	Permoseal (PTY) Ltd	
Address	1 Beverley Close, Montague Gardens, 7441, Cape Town, South Africa	
Phone	+27-21-555-7400	
Toll-free No.	0800-222-400	
Website	www.bostik.co.za	
1.4. Emergency phone number		
+27-21-555-7400		

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification This product is hazardous

2.2. Label elements

GHS Labelling

- This product is classified and labelled according to the CLP regulation.
- Hazard pictogram:



GHS02 GHS07

2.3. Signal word Danger

- 2.4. Hazard determining components of labelling: Acetone, Methyl Ethyl Ketone
- Acelone, Methyr Ethyr Reic

2.5. Hazard statements:

H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H371	May cause damage to organs
H336	May cause drowsiness or dizziness



2.6. Precautionary statements:

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves / eye protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P308+P313	If exposed or concerned: get medical advice/attention.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy
	to do. Continue rinsing.

2.7. Other Hazards

No further data available

a. Unknown acute toxicity

No data available

3. COMPOSITION / INFORMATION ON INGREDIENTS

Mixture. This product is hazardous.

Ingredient	CAS No.	Contents (%)	Classification of Substance
Acetone	67-64-1	50 - 70	Flam liq.: Cat 2 Eye Irritation: Cat 2 STOT SE: Cat 3
Methyl Ethyl Ketone	78-93-3	5 - 15	Flam liq.: Cat 2 Eye irritation: Cat 2 STOT SE: Cat 3

4. FIRST- AID MEASURES

4.1. Description of first aid measures

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
Move to fresh air and seek medical attention if nausea and dizziness persists. Aspiration into lungs
may lead to pneumonitis.
Wash skin with mild soap and water. Remove contaminated clothes and shoes. Seek medical
attention.
Remove any contact lenses from the eyes before rinsing thoroughly with plenty of water (lift eye lids).
Rinse for at least 15 minutes. Seek medical attention if any discomfort continues.
Rinse mouth. Do not induce vomiting. Get the affected person to drink a lot of water in small gulps.
Obtain medical attention.
ms and effects both acute and delayed
May cause irritation.
May cause irritation to the respiratory system. Prolonged inhalation may cause headaches,
drowsiness and fatigue. High concentrations of vapours are anaesthetic in nature causing central
nervous system effects such as dizziness and confusion.
May cause skin irritation - Prolonged contact can cause defatting and drying of the skin which may
result in a burning sensation and a dried, cracked appearance. Repeated exposure may lead to
dermatitis.
May cause eye irritation - can cause redness, tearing and blurred vision due to corneal clouding.
Hazardous – may be fatal if swallowed.
diate medical attention and special treatment needed
Treat symptomatically



5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media		
Suitable extinguishing media	Water spray, dry chemical powder, foam, carbon dioxide	
Unsuitable ext.media	Not applicable	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	Highly flammable	
Explosion hazard	Solvent vapour may form explosive mixtures with air	
5.3. Advice for firefighters		
Firefighting instructions	Exercise caution when fighting any chemical fire.	
Protection during firefighting	Firefighters should wear full protective gear. Do not enter fire area without proper protective	
	equipment, including respiratory protection.	
Hazardous combustion products	Under certain conditions of combustion, traces of toxic substances cannot be excluded.	

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures		
General measures	Do not get in eyes or skin, or on clothing.	
6.2. For non-emergency personnel		
Protective equipment	Use appropriate personal protection equipment (PPE)	
Emergency procedures	Evacuate unnecessary personnel.	
6.3. For emergency perso	nnel	
Protective equipment	Use appropriate personal protection equipment (PPE)	
Emergency procedures	Secure the area and evacuate unnecessary personnel.	
6.4. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		
6.5. Methods and materials for containment and cleaning up		
For containment	Absorb and or contain spill with inert material.	
Methods for cleaning up	If recovery is not feasible, absorb with inert material. Place in a container suitable for disposal.	
	Dispose of in accordance with current local legislation.	
6.6. Reference to other sections		

Refer to Section 8, Exposure controls and personal protection

7. HANDLING AND STORAGE

7.1. Precautions for safe handling		
Handling temperature	Normal ambient temperature	
Hygiene measures	Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other	
	exposed areas with mild soap and water before eating or drinking.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	Store in a dry, cool and well-ventilated place away from heat, sparks, open flames and any other	
	ignition sources. Keep container closed when not in use.	
Incompatible materials	Strong oxidizing agents	
Maximum storage period	12 months, but may vary depending on storage conditions.	

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

Exposure limits:

Name	TWA - 8 hrs	STEL - 15 min
Acetone	750ppm	1500ppm
Methyl Ethyl Ketone	200ppm	300ppm



8.2. Exposure controls

Engineering controls	Provide good ventilation when handling large quantities. No special measures are required
	if stored and handled as above. Ventilation must be explosive proof.
Personal protective equipment	Use appropriate personal protection equipment (PPE).
Eye protection	Normally not needed for domestic use. Industrial uses require safety glasses.
Skin and body protection	Use protective gloves and aprons to prevent contact. Generally latex or nitrile gloves would
	provide sufficient protection.
Respiratory protection	Not required under normal conditions of use in a well-ventilated space. Use NIOSH
	approved respirator if there is potential to exceed exposure limits.
Other information	When using, do not eat or drink.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear viscous liquid
Odour	Aromatic
Density (g/cm ³ @20°C)	Approximately 0.85
Flash point (°C)	Approximately -18
Boiling point (°C)	Approximately 56
Flammability limits (%)	2.0 – 13.3
Solubility water	Insoluble
Solubility solvent	Soluble in esters, ketones and methanol

10. STABILITY AND REACTIVITY

Reactivity	Prolonged exposure to air will result in solvent evaporation and gelation of product.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Not expected under normal conditions.
Conditions to avoid	Avoid temperature extremes, open flames, sparks or other possible ignition sources.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Thermal decomposition may release carbon dioxide, carbon monoxide, smoke and fumes.

11. TOXICOLOGICAL INFORMATION

The toxicological properties of this product have not been fully investigated. Please refer to section 4 for information regarding health effects.

12. ECOLOGICAL INFORMATION

This product has not been tested for environmental effects. However, the ingredients indicate that it is dangerous to the environment. Please refer to section 6 for information regarding accidental release.

13. DISPOSIBLE CONSIDERATIONS

Sewage disposal recommendations	Do not dispose waste into sewer.
Waste disposal recommendations	Whatever cannot be saved for recovery or recycling should be disposed of in accordance
	with current local legislation



14. TRANSPORT INFORMATION

14.1 UN Number

- ADR, ADN, IMDG, IATA UN 1133
- 14.2 UN Proper Shipping Name
 - ADR/AND, IMDG, IATA Flammable liquid, N.O.S.

14.3 Transport hazard class

• ADR, ADN, IMDG, IATA LABEL



3 Flammable liquids

14.4 Packing group

• ADR, ADN, IMDG, IATA III

14.5 Environmental hazards

CLASS

• Marine pollutant (IMDG), Special marking (ADR/AND), Special marking (IATA) Contamination of the aquatic or terrestrial environments should be avoided.

15. REGULATORY INFORMATION		
15.1 Labelling	Classified as a hazardous product	
15.2 National legislation	None	
16. OTHER INFORMATION		
16.1 Information sources		
This SDS is prepared based on t	he information received from the suppliers	
16.2. Full text of Linkscore referred to under Section 2		

16.2 Full text of H-phrases referred to under Section 3

H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H371	May cause damage to organs
H336	May cause drowsiness or dizziness

16.3 Additional information

This document has been prepared in accordance with the SDS requirements of SANS 11014:2010

For intended use and applications see the Technical Date Sheet for the product. The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be made and should not be construed as guaranteeing specific properties. Recipients of our product must take responsibility for observing existing laws and regulations.

Revision date

November 2016

